



# ST STITHIANS COLLEGE

DOC NO	04.22.001
REV DATE	01/07/2020
REV NO	002
ISSUED	22.04.2020
PAGE	1 of 13

SECTION	RISK MANAGEMENT STANDARDS
SUB-SEC	HSE STANDARD GUIDELINES
SUBJECT	Safe Operating Procedure COVID-19

Accepted by :  MRS. G HARRIS HEAD OF JUNIOR PREP	Accepted by :  MR. J FREDERICKS HEAD OF BOYS PREP	Accepted by :  MRS. A WATSON ACTING HEAD OF GIRLS PREP	Accepted by :  DR. S JAMES HEAD OF GIRLS COLLEGE	Accepted by :  MR. D DU TOIT HEAD OF BOYS COLLEGE	Accepted by :  MRS. R SWART HEAD OF OPERATIONS	Authorised By:  MRS C. GILARDI  RECTOR
ACCOUNTABILITY: RECTOR AND HEADS OF SCHOOLS/OPERATIONS						
RESPONSIBILITY: ALL STAFF AND OTHER IDENTIFIED PERSONS IN RESPECT TO THIS PROCEDURE						

## Standard Operating Procedure: COVID-19

### 1. OBJECTIVE

The objective of this Standard Operating Procedure “SOP” is to ensure a safe working environment for all employees and to limit the spread of the COVID-19 virus. Section 8 of the Occupational Health and Safety Act, 1993 “OHS” requires every employer to provide and maintain, as far as reasonably practicable, a working environment that is safe and without risk to the health of its employees. Similarly, the OHS also imposes a duty on employees to take reasonable care for their own health and safety and that of their fellow employees.

### 2. SCOPE

This SOP is applicable to all employees, visitors and sub-contractors.



DOC NO	04.22.001
REV DATE	01/07/2020
REV NO	001
ISSUED	22.04.2020
PAGE	2 of 13

SECTION	RISK MANAGEMENT STANDARDS
SUB-SEC	HSE STANDARD GUIDELINES
SUBJECT	Safe Operating Procedure COVID-19

### **3. RESPONSIBILITY**

The organisation's 16.1, 16.2, COVID-19 Compliance Officer; COVID-19 Manager and COVID-19 Team Member appointees must ensure that this document is implemented as far as reasonably practicable to ensure the health and safety of all employees and visitors. Due to the nature of COVID-19, it is also important that all employees assume a level of responsibility to manage and contain the spread of the virus.

### **4. REFERENCES**

- National Institute for Communicable Diseases "NICD"
- World Health Organisation "WHO"
- The National Institute for Occupational Health
- The National Health Laboratory Services
- The Department of Employment and Labour

### **5. DEFINITION**

**COVID-19** - *a mild to severe respiratory illness that is caused by a coronavirus (Severe acute respiratory syndrome coronavirus 2 of the genus Betacoronavirus), and is transmitted chiefly by contact with infectious material (such as respiratory droplets), and is characterized especially by fever, cough, and shortness of breath and may progress to pneumonia and respiratory failure. Derived for SARS-CoV-2.*

### **6. ACTIVITIES**

#### **6.1. Visitors to the Workplace**

- Visitors to workplaces are required to complete the Visitor Information Form on entry to the school, office or workshops.
- All entry points must be equipped with hand sanitisers.
- If meetings take place, then ensure that all delegates are seated at least two metres apart. Preferably meetings to take place using an online platform.
- The names and contact details of all participants in the meeting should be retained for at least one month. This will assist health care authorities to trace who has been exposed to the virus if a participant becomes ill with COVID-19 after the meeting.



DOC NO	04.22.001
REV DATE	01/07/2020
REV NO	001
ISSUED	22.04.2020
PAGE	3 of 13

SECTION	RISK MANAGEMENT STANDARDS
SUB-SEC	HSE STANDARD GUIDELINES
SUBJECT	Safe Operating Procedure COVID-19

- All participants must be informed by the company, should any of the participants of a meeting become ill with COVID-19 at a later stage.

## **6.2 Routine Cleaning Activities**

**NB: The period that COVID-19 can survive on objects is dependent on certain criteria which is difficult to predict given that not all working environments are the same. A study by the WHO determined that the coronavirus could remain infectious for between two hours and nine days on certain surfaces. All work surfaces and equipment should be disinfected before work begins, regularly during the working period and after work ends. All areas such as toilets, common areas, door handles, shared electronic equipment should be regularly cleaned and disinfected. Further to this:**

- Provide resources and a work environment that promotes personal hygiene. For example, no-touch refuse bins, hand soap, alcohol-based hand rubs containing at least 60 percent alcohol, disinfectants, and disposable towels for workers to clean their hands and their work surfaces.
- Promote regular hand washing or the use of alcohol-based hand sanitiser.
- Display handwashing signs in restrooms.
- Every machine/equipment and work area should be equipped with a sanitiser and cleaned before use.
- Increase cleaning schedule to deal with increased frequency of wiping down all surface areas.

### **6.2.1 How to Clean and Disinfect**

#### **Hard (Non-porous) Surfaces**

- If surfaces are dirty, they should be cleaned using a detergent or soap and water prior to disinfection.
- For disinfection, most common household disinfectants should be effective.
  - Follow the manufacturer's instructions for all cleaning and disinfection products for concentration, application method and contact time, etc.
  - Additionally, diluted household bleach solutions (at least 1000ppm sodium hypochlorite) can be used if appropriate for the surface. Follow manufacturer's



DOC NO	04.22.001
REV DATE	01/07/2020
REV NO	001
ISSUED	22.04.2020
PAGE	4 of 13

SECTION	RISK MANAGEMENT STANDARDS
SUB-SEC	HSE STANDARD GUIDELINES
SUBJECT	Safe Operating Procedure COVID-19

instructions for application, ensuring a contact time of at least 1 minute, and allowing proper ventilation during and after application. Check to ensure the product is not past its expiry date. Never mix household bleach with ammonia or any other cleanser. Household bleach will be effective against coronaviruses when properly diluted.

### Soft (Porous) Surfaces

- For soft (porous) surfaces such as carpeted floor, rugs, and drapes, remove **visible** contamination if present and clean with appropriate cleaning products as indicated for use on these surfaces.

After cleaning:

- If the items can be laundered, launder items in accordance with the manufacturer's instructions using the warmest appropriate water setting for the items and then dry items completely.

### Electronics

- For electronics such as tablets, touch screens, keyboards, remote controls, telephones, etc. remove **visible** contamination if present.
  - Follow the manufacturer's instructions for all cleaning and disinfection products.
  - Consider use of wipeable covers for electronics.
  - If no manufacturer guidance is available, consider the use of alcohol-based wipes or sprays to disinfect touch screens. Dry surfaces thoroughly to avoid pooling of liquids.

### Linen, Clothing, and Other Items That Go in the Laundry

- In order to minimize the possibility of dispersing the virus through the air, do not shake dirty laundry.
- Wash items as appropriate in accordance with the manufacturer's instructions. If possible, launder items using the warmest appropriate water setting for the items and dry items



DOC NO	04.22.001
REV DATE	01/07/2020
REV NO	001
ISSUED	22.04.2020
PAGE	5 of 13

SECTION	RISK MANAGEMENT STANDARDS
SUB-SEC	HSE STANDARD GUIDELINES
SUBJECT	Safe Operating Procedure COVID-19

completely. Dirty laundry that has been in contact with an ill person can be washed with other people's items.

- Clean and disinfect hampers or other carts for transporting laundry according to guidance above for hard or soft surfaces.

### **6.3 Company Start Up (Post Lockdown)**

- A detailed risk assessment must be established prior to any work being conducted.
- The risk assessment must be communicated to all staff.
- All employees to be trained on COVID-19.
- Re-induction with all staff, which must include the COVID-19 Risk Assessment, Safe Operating Procedure, procedure to deal with sick employees and required PPE.
- A pre-inspection to be conducted prior to the operation of any machinery and equipment.
- A comprehensive cleaning schedule must be developed to ensure routine cleaning is conducted. This schedule should be monitored on a daily basis.
- Management will issue each staff member with at least two cloth face masks, which will comply with the requirement set out in the Guidelines issued by the Department of Trade, Industry and Competition, for the employee to wear while at work and while commuting to and from work;
- The number and replaceability of cloth masks that must be provided to an employee or required of other workers will be determined in accordance with any sectoral guideline and in the light of the employee or worker's conditions of work, in particular, where these may result in the mask becoming wet or soiled.
- Employees will be informed, trained and instructed as to the correct use of cloth masks and the maintenance thereof.
- An employer must make appropriate arrangements for the washing, drying and ironing of cloth masks.
- Where respirators are used, the employer must ensure that every employee has their own respirator. The employer must provide each employee with disinfectant wipes to clean their respirators after use and a hygienic place (airtight container) must be provided for the respirators to be stored. Respirators are not allowed to be taken home.
- Where dust masks are used, the employer must ensure that they are readily available for use. The employer must ensure that no dust mask is used twice and that they are disposed of in a safe manner.
- Bulk Storage of Sanitizer shall follow normal procedure as stated below:



DOC NO	04.22.001
REV DATE	01/07/2020
REV NO	001
ISSUED	22.04.2020
PAGE	6 of 13

SECTION	RISK MANAGEMENT STANDARDS
SUB-SEC	HSE STANDARD GUIDELINES
SUBJECT	Safe Operating Procedure COVID-19

- Containers are closed
  - Good housekeeping maintained
  - Storage area to be well ventilated
  - If the chemical is stored in a chemical store, can the bund capacity contain the addition of the new chemical
- Employer to ensure that there is a process to identify and deal with employees who are ill at work. This may include a daily walkthrough to observe if any employee appears to be sick.

#### **6.4 Daily Activities**

- Monitor the temperatures of all employees prior to gaining entry onto the premises
- Meetings to be conducted telephonically or via video conferencing where possible
- Physical distancing to be encouraged across the organisation
- Encouraging of employees to stay at home if not well and report to their medical practitioners if displaying any symptoms of COVID-19.

#### **6.5 Signage and posters**

It is important that the organisation has visible signs and posters around the workplace to remind employees and visitors about the risks of COVID-19 and the measures that are needed to limit its spread.

Typical signs and posters may include:

- Wearing of cloth masks before entering the premises
- Handwashing techniques
- Physical distancing
- Coughing and sneezing etiquette
- General COVID-19 awareness
- General hygiene principles



DOC NO	04.22.001
REV DATE	01/07/2020
REV NO	001
ISSUED	22.04.2020
PAGE	7 of 13

SECTION	RISK MANAGEMENT STANDARDS
SUB-SEC	HSE STANDARD GUIDELINES
SUBJECT	Safe Operating Procedure COVID-19

### **6.6 Employees diagnosed or suspected to have COVID-19**

If an employee has been diagnosed with COVID-19, they should not be permitted to return to work until cleared to do so by a medical practitioner. Should an employee be ill at work with suspected COVID-19 symptoms then:

- a) Isolate the sick employee and issue them with a FFP1 mask.
- b) Inform the national COVID-19 hotline (0800 029 999) and follow the advice of health officials.
- c) Arrange for the worker to be transported in a manner that does not place other workers or members of the public at risk for a medical examination or testing.
- d) Ensure the staff member is tested at a medical facility for COVID-19.
- e) Inform the Department of Health and the Department of Employment and Labour, as per Risk Adjustment Strategy Regulations of 29 April 2020, when an employee had been tested and found positive for COVID-19.
- f) Clean the area where the person was working and all places they have been. This may mean evacuating those areas.
- g) Identify who at the workplace had close contact with the infected person. Refer those workers who may be at risk for screening and take any other appropriate measures to prevent possible transmission; ensure that the worker is tested or referred to an identified testing site, as per required by Government Notice NO. 479 29 APRIL 2020 - 479 Disaster Management Act (57/2002): Covid-19 Occupational Health and Safety Measures in Workplaces COVID-19 (C19 OHS).
- h) Clean the area where the close contact people were working and all common areas they have been. This may mean evacuating those areas.
- i) Review risk management controls relating to COVID-19 and review whether work may need to change. Keep employees up to date with relevant information.
- j) Obtain a medical certificate of fitness / negative test for COVID-19 certificate after 14 days of recovered staff member and re-induct on health and safety COVID-19 protocols, before work can commence.

**If the employee is not at work when he / she is diagnosed or suspected to have COVID-19, then follow steps e, f, g, h and i above**

### **6.7 COIDA Claims**



DOC NO	04.22.001
REV DATE	01/07/2020
REV NO	001
ISSUED	22.04.2020
PAGE	8 of 13

SECTION	RISK MANAGEMENT STANDARDS
SUB-SEC	HSE STANDARD GUIDELINES
SUBJECT	Safe Operating Procedure COVID-19

The Compensation Commissioner has issued the Notice on Compensation for Occupationally Acquired Novel Corona Virus Disease (COVID-19) to clarify the position of the Compensation Fund with regards to occupationally acquired COVID-19. The notice applies only to COVID-19 acquired by employees arising out of and in the course of the employees' employment through exposure to confirmed cases in the workplace or after an official work trip to a high-risk country or area.

To qualify for benefits from the Compensation Fund, the following criteria must be met:

- The diagnosis must be as a result of occupational exposure to a known source of COVID-19;
- The COVID-19 must be diagnosed as per the World Health Organisation guidelines;
- The COVID-19 diagnosis must be linked to an approved official trip and travel history to high risk areas or countries on a work assignment or linked to a presumed high-risk work environment where transmission of COVID-19 is inherently prevalent; and
- A chronological sequence must exist between the work exposure and the development of COVID-19 symptoms.

The Compensation Fund will compensate qualifying employees who are temporarily disabled from working as a result of COVID-19 for a period of up to 30 days from the date of diagnosis. The Compensation Fund will not pay for cases that have not been diagnosed and where self-quarantine is recommended by a registered Medical Practitioner, the employer is liable for the employee's remuneration for the days of absence.

Where an employee has been diagnosed with COVID-19, such employee will be provided with medical aid for a period of up to 30 days from the date of diagnosis. If an employee dies as a result of complications from COVID-19, the Compensation Fund shall pay out reasonable burial expenses and the widow/widower and dependent's pensions, where applicable.

In essence, the notice confirms that COVID-19 cases which arise out of and in the course of an employee's employment will be regarded as occupational diseases for purposes of COIDA.

## **7 Risk Assessment**

With COVID-19, it may not be possible to eliminate the hazard, the most effective protection measures are (listed from most effective to least effective): engineering controls, administrative controls, safe work practices (a type of administrative control), and PPE.





DOC NO	04.22.001
REV DATE	01/07/2020
REV NO	001
ISSUED	22.04.2020
PAGE	9 of 13

SECTION	RISK MANAGEMENT STANDARDS
SUB-SEC	HSE STANDARD GUIDELINES
SUBJECT	Safe Operating Procedure COVID-19

There are advantages and disadvantages to each type of control measure when considering the ease of implementation, effectiveness and cost. In addition to the types of workplace controls discussed below, the NICD provides fact sheets that guide specific workplaces (employers and employees) in relation to recommended infection prevention strategies to implement in workplaces.

A record of the COVID-19 risk assessment, together with a written policy concerning the protection of the health and safety of its employees from COVID-19, is submitted to the company's health and safety committee.

### **7.1 Engineering Controls**

Engineering controls involve isolating employees from work-related hazards. In workplaces where they are appropriate, these types of controls reduce exposure to hazards without relying solely on employee behaviour and can be the most cost-effective solution to implement.

Engineering controls for COVID-19 include:

- Installing high-efficiency air filters (not to be relied on as the most appropriate in isolation of other controls).
- Increasing ventilation rates in the work environment.
- Installing physical barriers such as face shields.
- Specialized negative pressure ventilation in some settings (e.g. airborne infection isolation rooms in healthcare settings and autopsy rooms in mortuary settings).

### **7.2 Administrative Controls**

Administrative controls require action by the employee and employer. Typically, administrative controls are changes in work policy or procedures to reduce or minimize exposure to a hazard. Examples of administrative controls for SARS-CoV-2 include:

- Encouraging sick workers to stay at home.
- Minimizing contact among workers, clients, and customers by replacing face-to-face meetings with virtual communications e.g. conference calls, Skype, etc.



DOC NO	04.22.001
REV DATE	01/07/2020
REV NO	001
ISSUED	22.04.2020
PAGE	10 of 13

SECTION	RISK MANAGEMENT STANDARDS
SUB-SEC	HSE STANDARD GUIDELINES
SUBJECT	Safe Operating Procedure COVID-19

- Minimizing the number of workers on site at any given time e.g. rotation or shift work.
- Discontinuing nonessential local and international travel. Regularly check travel advice from the Department of Health at: [www.health.gov.za](http://www.health.gov.za).
- Developing emergency communications plans, including a task team for answering workers' concerns and internet-based communications, if feasible.
- Providing workers with up-to-date education and training on COVID-19 risk factors and protective behaviours (e.g. cough etiquette and care of PPE).
- Training workers who need to use protective clothing and equipment on how to put it on, use/wear it and take it off correctly, including, in the context of their current and potential duties. Training material should be easy to understand and available in the appropriate language and literacy level for all workers.

### **8. PERSONAL PROTECTIVE EQUIPMENT (PPE)**

While engineering and administrative controls are considered more effective in minimizing exposure to SARS-CoV-2, PPE may also be needed to prevent certain exposures. While correctly using PPE can help prevent some exposures, it should not take the place of other prevention strategies.

Examples of PPE include:

- gloves,
- goggles,
- face shields,
- face masks,
- gowns,
- aprons,
- coats,
- overalls,
- Hair and shoe covers and respiratory protection, when appropriate.

During an outbreak of an infectious disease, such as COVID-19, recommendations for PPE specific to occupations or job tasks may change depending on geographic location, updated risk assessments for workers, and information on PPE effectiveness in preventing the spread of COVID-19. Employers should check the NICD website regularly for updates about recommended PPE.



# ST STITHIANS COLLEGE

DOC NO	04.22.001
REV DATE	01/07/2020
REV NO	001
ISSUED	22.04.2020
PAGE	11 of 13

SECTION	RISK MANAGEMENT STANDARDS
SUB-SEC	HSE STANDARD GUIDELINES
SUBJECT	Safe Operating Procedure COVID-19

All types of PPE must be:

- Selected based upon the hazard to the worker.
- Properly fitted (e.g., respirators).
- Consistently and properly worn when required.
- Regularly inspected, maintained, and replaced, as necessary.
- Properly removed, cleaned, and stored or disposed of, as applicable, to avoid contamination of self, others, or the environment.

Employers are obligated to provide their workers with PPE needed to keep them safe while performing their duties. The types of PPE required during a COVID-19 outbreak will be based on the risk of being infected with SARS-CoV-2 while working and job tasks that may lead to exposure.

Workers, including those who work within 2 meters of patients known to be, or suspected of being, infected with SARS-CoV-2 and those performing aerosol-generating procedures, need to use respirators:

- Approved N95 filtering half face respirators as a minimum used in the context of a comprehensive, written respiratory protection program that includes fit-testing, training, and medical exams.
- The appropriate form of respirator will depend on the type of exposure and on the transmission pattern of COVID-19.

## **9. IMPLEMENTING WORKPLACE CONTROLS**

The legislation governing workplaces in relation to COVID-19 is the Occupational Health and Safety Act, Act 85 of 1993, as amended, read with the Hazardous Biological Agents Regulations. Section 8 (1) of the Occupational Health and Safety (OHS) Act, Act 85 of 1993, as amended, requires the employer to provide and maintain as far as is reasonably practicable a working environment that is safe and without risks to the health of employees.



DOC NO	04.22.001
REV DATE	01/07/2020
REV NO	001
ISSUED	22.04.2020
PAGE	12 of 13

SECTION	RISK MANAGEMENT STANDARDS
SUB-SEC	HSE STANDARD GUIDELINES
SUBJECT	Safe Operating Procedure COVID-19

Specifically, Section 8(2)(b) requires steps that are reasonably practicable to eliminate or mitigate any hazard or potential hazard before resorting to personal protective equipment (PPE). However, in the case of COVID-19, a combination of controls is required, although the main principle is to follow the hierarchy of controls. However, before the implementation of control measures, current risk assessments need to be reviewed and updated, taking into account the new hazards posed by exposure to COVID-19 in the workplace. This is in accordance with Section 8 (2) (d) of the OHS Act.

#### **10. COVID-19 TASK TEAM**

Although not a legal requirement it is recommended that a COVID-19 response team be appointed. The response team should meet regularly to monitor developments and closely follow the guidance and advisories from government and public health organisations. The response team should be responsible for the following:

- Educating employees using the induction and awareness training course. Training sessions to be held in small groups to accommodate physical distancing rules. The Policy, Risk Assessment, Safe Operating Procedure & Medical Screening Procedure must also be explained to all staff.
- Encouraging employees to work from home if possible.
- Ongoing and regular communication with employees.
- Increasing and expanding cleaning of the facilities.
- Restrict grouping in the workplace with the adoption of strict physical distancing rules.
- Facilitate the implementation and management of the employee screening process.
- Facilitate the implementation and management of a visitor & contractor screening process.
- Enforcing a stringent return-to-work policy if an employee becomes ill.
- Managing the process if an employee is confirmed or suspected to have COVID-19 in the workplace.



# ST STITHIANS COLLEGE

DOC NO	04.22.001
REV DATE	01/07/2020
REV NO	001
ISSUED	22.04.2020
PAGE	13 of 13

SECTION	RISK MANAGEMENT STANDARDS
SUB-SEC	HSE STANDARD GUIDELINES
SUBJECT	Safe Operating Procedure COVID-19

- Disable biometric systems or make them COVID-19 safe.

## **11. MONITORING AND MEASUREMENT**

- Due to the nature of COVID-19 this document will be seen as a living document as the information in this document could change due to the progression of the COVID-19 virus.